

# Eclipse 88

Lockable Sampling Station for Any Climate



## About the Eclipse 88

- Durable brass and stainless steel waterway
- Secure locking cast-aluminum enclosure
- No drain or threads to prevent contamination
- Designed for use in any climate
- Fully maintainable from above ground

## Getting More Specific...

- 1/2" unthreaded blow-off/sample valve
- 3/4" FIP inlet connection
- 1/4" evacuation tube to avoid freezing (electric evacuation pump (EEP) sold separately)
- Lockable powder-coated cast-aluminum enclosure (option to cast your own logo)
- Vinyl caps to protect all nozzles and keep waterway clean
- Can accommodate any bury depth in 6" increments





# Create Your Own Design!

Ask about custom powder coat colors, casting your utility's logo on the box, adding pedestals, and more...



## #88 SAMPLING STATION SPEC SHEET



NOTE 1  
NOTES:

1 3D VIEW  
Scale: Not To Scale

2 ENCLOSURE OPEN VIEW  
Scale: 3/4"=1'-0"

SAMPLING STATION SHALL BE BURY WITH A 3/4" HD INLET, AND 1/2" UNTHREADED BLOW OFF AND SAMPLING BIBB.

STATION SHALL BE ENCLOSED IN A LOCKABLE, NON-REMOVABLE ALUMINUM BOX WITH HINGED OPENINGS.

WHEN OPEN, THE STATION SHALL REQUIRE NO KEY FOR OPERATION, AND ALL WATER FLOW SHALL PASS THRU AN ALL STAINLESS STEEL WATERWAY.

ALL WORKING PARTS SHALL BE SERVICABLE FROM ABOVE GROUND WITH NO DIGGING OR REPLACEMENT NEEDED.

A PET COCK WILL BE LOCATED BELOW THE SAMPLING BIBB TO ALLOW PUMPING OF ANY WATER REMAINING INSIDE THE STATION TO INSURE NON-FREEZING.

THE STATION SHALL BE MODEL #88 AS MANUFACTURED BY THE KUPFERLE FOUNDRY, ST. LOUIS MO. 63102 OR APPROVED EQUAL.

#88 SAMPLING STATION TO BE INSTALLED AT THE FOLLOWING LOCATIONS:

# Don't let them freeze!

Our battery-powered evacuation pump (EEP) keeps your stations dry and safe from freezing during cold weather.

